

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		Agency's Docket Number 70479
		U.S. Application No. (if known) 35 U.S.C. 371(f) <b>10/088320</b>
INTERNATIONAL APPLICATION NO. PCT/IT00/00359 FI99A000191	INTERNATIONAL FILING DATE 12/Sep./2000	PRIORITY DATE CLAIMED 15/Sep./1999
TITLE OF INVENTION METHOD AND MEANS FOR DATA MANAGEMENT IN A LABORATORY		
APPLICANT(S) FOR DO/EO/US COCOLA et al.		

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(C)(2))
  - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☒ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern other documents (s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.  
☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information:  
Formal Drawings (5 sheets)  
Copy of Express Mail Receipt No. EV071195910US  
Copies of Cited References (4)  
Marked Up Copy of the Translation



10/088320

JC10 Rec'd PCT/PTO 14 MAR 2002

ATTORNEY DOCKET NO: 70479

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : COCOLA et al.  
PCT No : PCT/IT00/00359  
Filed : March 14, 2002  
For : METHOD AND MEANS FOR...  
Dated : March 14, 2002

Hon. Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Prior to initial examination, please amend the above-identified application as follows:

IN THE CLAIMS:

Claim 1 has not been changed by this amendment and remains as follows:

1. A method for data management in an analytical laboratory, comprising the steps of:
  - providing a plurality of containers for the laboratory analysis of biological specimens, each container being associated with its own identification code;
  - associating a patient code with a patient to be subjected to analysis;
  - for each container used for said patient, generating in a data processing system a combination of said patient code and said identification code of the corresponding container;
  - carrying out, by means of at least one analyzer, at least one analysis on the container or containers used for said patient, the analyzer entering the results of said analysis, combined with the identification code of the container or containers, into the data processing system.

Claim 2 has not been changed by this amendment and remains as follows:

2. The method according to Claim 1, comprising the steps of:

- generating a patient code for at least one patient on whom at least one analysis is to be carried out and storing said patient code in a data processing system;
- placing a biological specimen from said patient in said at least one container;
- carrying out at least one analysis of said specimen in at least one analyzer, the analyzer reading the identification code of said container and entering into said data processing system the results of the analysis combined with the identification code of said container;
- using said data processing system to associate the results of the analysis or analyses with the patient code, and then with the patient identified by said patient code, by means of the combination of the patient code with the identification code.

Please amend claim 3 as follows:

3. (AMENDED) The method according to Claim 1, in which said identification code is placed on the corresponding container in a machine readable format.

Please amend claim 4 as follows:

4. (AMENDED) The method according to Claim 1, in which said identification code is placed on the corresponding container at the time of the production or packaging of the container.



Please amend claim 9 as follows:

9. (AMENDED) The method according to Claim 1, in which said patient code is generated by a central computer of said data processing system; the combination of the patient code with the identification code is carried out by means of a unit of said data processing system other than said central computer; and the result of the analysis, associated with the identification code of the containers, is sent to said central computer, the central computer being programmed to associate with the result of the analysis the data relating to the patient to whom said result relates.

Claim 10 has not been changed by this amendment and remains as follows:

10. A data processing system for data management in an analytical laboratory, comprising, in combination,

- a central electronic computer, for acquiring the data on patients on whose biological specimens the analyses are to be carried out, and for generating a patient code for each patient acquired;
- means for acquiring an identification code associated with each container of a plurality of containers for laboratory analysis of biological specimens;
- means for combining each of said acquired identification codes with a corresponding patient code;
- at least one analyzer with means for reading identification codes associated with the containers which are placed in it, said analyzer carrying out at least one analysis on a biological



13. A container for laboratory analysis of biological specimens, characterized in that it is provided with a unique machine-readable identification code.

Claim 14 has not been changed by this amendment and remains as follows:

14. The container according to Claim 13, characterized in that said identification code is applied to said container during the production of the container.

Please amend claim 15 as follows:

15. (AMENDED) The container according to Claim 13, characterized in that said identification code is a bar code.

Please amend claim 16 as follows:

16. (AMENDED) The container according to Claim 13, characterized in that it includes means for determining an expiry date.

Claim 17 has not been changed by this amendment and remains as follows:

17. A set of containers for laboratory analysis of biological specimens, characterized in that each of said containers has a unique identification code which is different from the identification codes of the other containers of said set and is machine-readable.

Claim 18 has not been changed by this amendment and remains as follows:



19. (AMENDED) The set of containers according to Claim 17, characterized in that said identification code is a bar code.


20. (AMENDED) The set of containers according to Claim 17, characterized in that each container is provided with means for determining an expiry date.

Claims through are in this application and are presented for consideration. Claims through have been amended. The amended claims present the same subject matter as the original claims but have been amended to adapt them to the U. S. style. The new claims present subject matter similar to the original claims, but in a different form.

The specification and claims have been amended in order to place this application in better form. The reference to claims in the specification has been deleted or amended. Appropriate headings have been added. No new matter has been added.

Favorable action on the merits is respectfully requested.

Respectfully submitted  
for Applicant,

By:   
John James McGlew  
Registration No. 31,903  
McGLEW AND TUTTLE, P.C.

JJM:da  
70479.1

Enclosed: Version of Claims Showing Changes

DATED: March 14, 2002  
SCARBOROUGH STATION  
SCARBOROUGH, NEW YORK 10510-0827  
(914) 941-5600

SHOULD ANY OTHER FEE BE REQUIRED, THE PATENT AND TRADEMARK OFFICE  
IS HEREBY REQUESTED TO CHARGE SUCH FEE TO OUR DEPOSIT ACCOUNT 13-  
0410.

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH  
THE UNITED STATES POSTAL SERVICE AS EXPRESS MAIL IN AN ENVELOPE  
ADDRESSED TO: COMMISSIONER OF PATENTS AND TRADEMARKS,  
WASHINGTON, D.C. 20231, NO.: EV071195910US

McGLEW AND TUTTLE, P.C.  
SCARBOROUGH STATION, SCARBOROUGH, NY 10510-0827

BY:  DATE: March 14, 2002

4. (AMENDED) The method according to Claim 1~~, 2 or 3~~, in which said identification code is placed on the corresponding container at the time of the production or packaging of the container.

6. (AMENDED) The method according to Claim[s] 3 ~~and 5 at least~~, in which the combination of the patient code with the identification code is generated by the sequential reading by an automatic reading instrument of the patient code and the identification code, or vice versa.

8. (AMENDED) The method according to ~~one or more of~~ Claim[s] 1 ~~to 7~~, in which said patient code is generated by a central computer of said data processing system; the combination of the patient code with the identification code is carried out by means of a unit of said data processing system other than said central computer; and the result of the analysis, associated with the patient code, is sent to said central computer.

15. (AMENDED) The container according to Claim 13 ~~or 14~~, characterized in that said identification code is a bar code.

9



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



**(43) International Publication Date**  
**22 March 2001 (22.03.2001)**

(10) International Publication Number  
**WO 01/20532 A3**

**(51) International Patent Classification<sup>7</sup>:** G06F 19/00,  
B01L 3/14

**(74) Agents:** MANNUCCI, Michele et al ; Via della Scala, 4, I-50123 Firenze (IT).

(21) International Application Number: PCT/IT00/00359

(81) **Designated States (national):** AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(22) International Filing Date:  
12 September 2000 (12.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) **Priority Data:**  
FI99A000191 15 September 1999 (15.09.1999) IT

**(84) Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

**Published:**


(75) **Inventors/Applicants (for US only):** **COCOLA, Adriano** [IT/IT]; Via San Marco, 110, I-53100 Siena (IT). **MELONI, Michele** [IT/IT]; Piazza F.B. Petrucci, 18, I-53100 Siena (IT).

— with international search report

**(88) Date of publication of the international search report:**  
11 April 2002

[Continued on next page]

(54) Title: METHOD AND MEANS FOR DATA MANAGEMENT IN A LABORATORY



(S7) **Abstract:** A data processing system for data management in an analytical laboratory is described, and comprises, in combination, a central electronic computer (1) for acquiring the patient data, and for generating a patient code (CP) for each patient acquired; means (15) for acquiring an identification code (CI) associated with each container (13) for laboratory analysis; means (17) for combining each of said acquired identification codes with a corresponding patient code; at least one analyzer (7; 9) which carries out at least one analysis on a biological specimen contained in the containers placed in it.

WO 01/20532 A3

METHOD AND MEANS FOR DATA MANAGEMENT IN A LABORATORY  
DESCRIPTION

Technical Field

The present invention relates to a method for data management in an analytical laboratory, particularly in a laboratory for analyzing biological specimens from patients.

The invention also relates to a system for data management in an analytical laboratory.

Finally, the invention relates to a container for use in the method and with the system mentioned above.

Prior Art

In the era of total quality, high standards of safety and reliability are required in the diagnostic field as in other areas. In spite of the efforts made by manufacturers of equipment and materials for diagnostic analysis, however, situations occur in the course of application in the analytical laboratory and/or in a hospital complex which give rise to errors and thus reduce the quality of the results obtained.

At the present time, containers of various types, particularly test tubes, cups, racks, microplates and others, are used for carrying out a multiplicity of analyses of the diagnostic type. In the present description and the following claims, the term "container" denotes any device suitable for containing a biological specimen to be analyzed. The specimen can be a biological specimen (for example blood, serum or urine) or a specimen of a different kind, for example a fragment of tissue, or even a DNA specimen. The container can be a container in which has been placed the specimen taken directly from the patient, or a container in which has been placed a fraction of a specimen taken previously and placed in an intermediate container. In this case, reference is made, for example, to a "mother test tube" and a "daughter test tube". The containers can be simple vessels for the biological specimen, or can also contain a preparation which is designed to react with the specimen for the execution of the subsequent analyses.

In the present description and the attached claims, the term "analytical

In some cases, one or more containers are sent to pieces of equipment

which take the biological specimen from a single container ("mother test tube") and distribute it into other containers ("daughter test tubes"), for carrying out different analyses on the same specimen. In this case, the pieces of equipment are programmed according to a job sheet so that they are capable  
5 of determining which containers the fractions of the biological specimen of which patient have been distributed into.

The analyzers and any machines which distribute the specimen from "mother" test tubes to "daughter" test tubes are connected to the central computer in a suitable way. The central computer thus receives the results of  
10 the analyses carried out by the various analyzers associated with the patient codes of the individual patients initially acquired. In this way it proceeds to print the report.

Even if there is maximum automation of the data management system in the analytical laboratory, errors due to various causes may occur and give  
15 rise to serious consequences in that the patients receive results relating to biological specimens of different patients.

A first set of errors originates from the system of labeling with patient codes. A first and more evident error is the human error which consists in attaching a label bearing the bar code of a patient to the wrong container. This  
20 error is commonly caused by the uncomfortable conditions in which the personnel have to work in the specimen-taking room.

This is because the operator in the specimen-taking center is in direct contact with the biological material from which he must protect himself by using, at least, rubber gloves, and in these conditions he must detach the  
25 adhesive label with the printed patient code and attach it to the patient specimen-taking container in front of him after having identified it on the job sheet.

Specimen-taking containers vary according to their manufacturers, and this gives rise to numerous problems, since the area for the application of the  
30 label to the container is not always compatible with the size of the label. Additionally, the label has to be applied to the container so that it is as straight as possible, to prevent the analyzer reading system, which is specific for each



The systems currently in use in various laboratories for the flow of data between analyzers and the central computer give rise to the following



- 6 -

quality of the reading of the codes applied to the containers is optimized, while bottlenecks, slowing of the data stream, and reading errors are reduced.

#### Brief Description of the Invention

These and other objects and advantages, which the following text will make clear to persons skilled in the art, are achieved with a method comprising the steps of:

- providing a plurality of containers for the laboratory analysis of biological specimens, each container being associated with its own identification code;
- 10 • associating a patient code with a patient to be subjected to analysis;
- for each container used for said patient, generating in a data processing system a combination of said patient code with said identification code of the corresponding container;
- carrying out, by means of at least one analyzer, at least one analysis on the  
15 container or containers used for said patient, the analyzer entering the results of said analysis, combined with the identification code of the container or containers, into the data processing system.

This method is characterized in practice in that each container used for the biological specimens is identified by its own identification code. This code  
20 can be applied during the production of the container, directly by the manufacturer, who can thus carry out the labeling (or other means of applying the identification code) in an optimal way, according to (a) the characteristics of the container; (b) the characteristics of the code reader with which any analyzer produced by the same manufacturer is equipped. The method  
25 according to the invention therefore has the advantage that each analyzer has to read, with its own reader, only one identification code which has advantageously been applied to the container by the manufacturer of the container, who may also be the manufacturer who has produced the analyzer. Thus there is an optimal level of compatibility between the container (and its  
30 code) and the analyzer (and its reader), with consequent elimination of reading errors.

The patient will be provided with a single medium bearing his own

- 7 -

patient code, instead of a set of self-adhesive labels. The printing of the medium bearing the code is fast and economical. There is no waste of material, and it is not necessary to use expensive self-adhesive material.

5 The operator responsible for specimen taking does not have to carry out any complex operation of detaching and applying adhesive labels, but can simply read the patient code and the identification codes of the container or containers, thus causing the data processing system to acquire these codes which are combined with each other. Therefore, the human errors due to incorrect combination of adhesive labels with containers are eliminated. The  
10 acquisition of the codes is extremely rapid and requires a minimum of manual activity, and can easily be carried out even when protective rubber gloves are worn.

In greater detail, the method according to the present invention can be implemented with the following steps:

- 15 • generating a patient code for at least one patient on whom at least one analysis is to be carried out and storing said patient code in a data processing system. This operation is carried out at the moment of admission of the patient, by means of the central computer;
- placing a biological specimen from said patient in said at least one  
20 container. This operation is carried out, for example, in the specimen-taking room in the case of a blood specimen. In this step, the operator causes the data processing system to read the patient code and the identification codes of the containers used;
- carrying out at least one analysis of said specimen in at least one analyzer.  
25 In this step, the analyzer automatically reads (by means of its own reader) the identification code of the container and enters it into the data processing system to which it is connected, while associating it with the results of the analysis;
- using the data processing system to associate the results of the analysis or  
30 analyses with the patient code, and then with the patient identified by said patient code, by means of the combination of the patient code with the identification code.

- 8 -

The method has the further advantage that the data processing system holds data in which the result of each analysis is combined with an identification code which identifies in a unique way the container of the analyzed specimen. This facilitates any quality control, for example where the  
5 result of the analyses is disputed. The problems related to anti-doping analysis may be considered in this connection.

Theoretically, the patient code and the identification code can be codes of various types, for example alphanumeric codes which the operator responsible for specimen taking and any operator responsible for running the  
10 analyzer enter into the data processing system by means of a keyboard. However, in accordance with what has already been implemented, these codes are advantageously automatically readable codes, so that the intervention of the operators is minimized. For example, they may be bar codes or other optical reading codes. In this case, the operator responsible for  
15 specimen taking, or an assistant, can cause the patient codes and the identification codes to be read to a unit of the data processing system by means of an optical reader wand or other reader. Alternatively, the codes can be magnetic codes. This can be the case with the patient code in particular, since the patient could be provided with a magnetic card bearing his personal  
20 data and his patient code, supplied by the analytical laboratory to the patient on his first admission. The card can then be used for subsequent services provided by the same laboratory. Optical reading codes (particularly bar codes) may be preferable for the identification of the containers, since analyzers are now already equipped with optical readers. The use of patient  
25 codes and identification codes of the same kind, readable with the same instruments, simplifies the operations of acquiring and combining these codes in the data processing system.

The method according to the present invention can easily be implemented in an existing management system of the type described above.  
30 Indeed, in a possible embodiment, it is provided that: (a) the patient code is generated by a central computer of the data processing system by a similar method to that used up to the present, with the difference that the code can



- 10 -

identification codes of the containers. In this case, the same central computer will receive, from the unit supplied to the operator in the specimen taking room, the combination of the patient code and the identification codes of the containers assigned to the individual patient, and will be programmed in such a way that the patient code is re-associated with the results of the analyses by means of the aforesaid combination. In this embodiment, the method permits simpler processing of the data, but requires the reprogramming of the data processing system and makes it necessary to carry out all analyses by the new method, in other words to have all the containers identified by corresponding identification codes.

On the other hand, in this improved embodiment the method can be used to carry out in a simple way, using the same procedure, even those analyses in which the biological specimen contained in a mother test tube is distributed into a plurality of daughter test tubes, for clinical chemical analysis for example. This is because each daughter test tube will be provided in its turn with an identification code. The equipment which carries out the distribution will read the identification code of the mother test tube and the identification codes of the daughter test tubes and will enable the data processing system (in the central computer directly, for example) to create a combination of the former and the latter, in a way similar to the combination created between the patient code and the identification code of the mother test tube. The combination can also be carried out in a semi-automatic way by an operator using an optical reader wand or other suitable device to read the identification codes of the mother test tube and the daughter test tubes before entering them into the distribution device. The results of the analyses will then be combined with the identification codes of the daughter test tubes. Using a reverse process with a number of steps, it is always possible to combine the results of the analyses with the original patient code. The reverse process will have a number  $n$  of steps, with  $n = m + 1$  where  $m$  is the number of mother-daughter relations.

When the biological specimen is distributed in a rack or in a microplate, where the individual wells cannot be characterized by identification codes,





- 12 -

also constitute an object of the present invention.

The container may also be provided with an expiry date, after which the container shall not be used. This date can be included in the identification code and/or written in a man-readable form. In the first case, the system in which it is used can be programmed such as to interrupt the analysis if an expired container has been used, this situation being automatically detected by reading the identification code. Additionally or alternatively, the container may be provided with means which render it unusable after the expiry date. For example, for those containers which must be transparent for optical reading, the material they are made of can be such that it becomes opaque after the expiry date. In addition or alternatively the identification code can be printed with an ink which becomes unreadable after the expiry date.

#### Brief Description of the Drawings

The invention will be more clearly understood from the description and the attached drawing, which shows a practical and non-restrictive embodiment of the invention. More particularly, the drawings show,

in Fig. 1, a diagram of a network consisting of a central computer and a set of peripheral units;

in Fig. 2, an example of a container with an identification code;

in Fig. 3, a flow chart representing the method according to the invention in a first embodiment;

in Fig. 4, a diagram of a network similar to that of Fig. 1, in a second embodiment; and

in Fig. 5, a flow chart representing the method according to the invention in a second embodiment.

#### Detailed Description of Embodiments of the Invention

Fig. 1 shows schematically a network of units forming a data processing system in which the method according to the present invention can be implemented. The number 1 indicates a central electronic computer (host computer). The central computer 1 is programmed to acquire the patient data and to generate for each patient a patient code CP, which for example is printed in the form of a bar code on a paper medium.

- 13 -

The numbers 3 and 5 indicate two peripheral electronic computers for monitoring and operating corresponding analyzers 7 and 9. The patient whose data have been acquired by the central computer 1 and for whom a patient code CP has been output passes into an area for taking biological specimens, showing his patient code CP, and here an operator takes the specimen and places, for example, the blood (or other biological specimen) in one or more containers 13. Each container 13 is provided with an identification code CI, which is unique and absolute, in other words different for each container 13, for example a bar code printed on a self-adhesive label applied to the container 13 during the production of the container.

An example of a container in the form of a test tube for ESR (erythrocyte sedimentation rate) analysis with its corresponding identification code CI is shown in detail in Fig. 2.

Using an optical reader wand or other equivalent reading device, indicated schematically by 15, the operator who takes the specimen, or his assistant, reads the patient code CP and the identification codes CI of the containers 13 which have to be used for this patient. The number 17 indicates a generic control unit of the reader 15 which acquires the codes CP and CI. The unit 15 can be programmed to permit the acquisition of a patient code and an unlimited number (or a number limited to a maximum) of identification codes relating to the same number of other containers. Software can be used to ensure that it is not possible to read, for example, two patient codes consecutively, in order to prevent errors, and/or that it is not possible to acquire a patient code after the acquisition of a preceding patient code and one or more identification codes CI without the execution of a reset operation.

Thus the unit 17 enables the codes CI and CP, combined with each other, to be entered into the data processing system: each patient code CP will be associated in the data processing system with one or more identification codes CI, relating to the containers in which the operator has placed the patient's biological specimens.

The data read by the unit 17 are sent to the computers 3 and 5 by means of a data line or other suitable means, if necessary by physically

- 14 -

transferring a storage medium such as a diskette or other. The specimens in the containers 13 are transferred physically to the analyzers 7, 9 (as shown by the arrowed broken lines).

The analyzers 7 and 9 comprise corresponding readers (not shown) which read the identification codes CI of the containers 13 placed in them and carry out the specified analyses. Since each type of analysis frequently requires a specific type of container, it is possible to make the identification code CI of the individual container contain additional data relating to the type of analysis for which it is intended. For example, specific containers in which a special reagent is kept can be provided for specific clinical chemical analyses, the type of reagent (and therefore the type of analysis) being indicated by one or more digits of the identification code. At the same time, to enable the operator to easily identify the type of container, containers for different analyses can be distinguished by different shapes, or caps of a particular color for each type of container.

The analyzer receiving a container holding the biological liquid to be analyzed can check, by reading the identification code CI, that the type of analysis for which the container is intended corresponds to the analysis which the analyzer is to carry out, and can emit an error signal when this is not the case.

To enable the different analyzers to determine which analyses are to be carried out for the individual patients, it is possible to use a job sheet by a method similar to that used in conventional systems. The central computer 1 generates a job sheet where the patient code and the type of analysis to be carried out is shown for each registered patient. These data are then entered by an operator by means of a keyboard into the individual analyzers or into the computers controlling them. Any errors at this point do not cause particular problems, being limited to the possible performance of analyses which were not requested or the omission of analyses which were requested. However, there is no possibility of the occurrence of errors of incorrect combination of the patient data with the results of the analysis.

The analyzers 7 and 9 carry out the requested analyses under the

- 15 -

control of the computers 3, 5, and send to the computers 3, 5 the results of the analyses combined with the identification codes CI read from the individual containers 13. These data are then sent to the unit 17 (or another unit which stores the combination of the code CP and the codes CI generated by the unit 17 by the reading of the codes). The unit 17 is connected to the central computer 1 and supplies it with the results of the analysis after it has recombined these with the patient codes on the basis of its knowledge of the correct combination of the identification codes CI (combined with the results of the analyses obtained from the computers 3, 5) and the patient codes CP.

10 The central computer 1 can thus receive the results in the conventional standard format at its input, and does not require reprogramming to execute the described method.

Fig. 3 summarizes the procedure described above, in the form of a flow chart.

15 When the central electronic computer 1 can be programmed in a dedicated way, the system for implementing the method according to the present invention can be simplified as shown in the diagram in Fig. 4, where identical or equivalent parts are indicated by the same reference numbers. This diagram additionally shows an analyzer 8 controlled directly by the central computer 1. The unit 17 is connected directly to the central computer rather than to the peripheral computers 3 and 5. The codes CI combined with each individual code CP read by the reader 15 are thus communicated by the unit 17 to the central computer 1. This computer receives the results of the analyses, combined with the corresponding identification codes CI of the containers 13 either by the analyzers directly (in the case of the analyzer 8) or by the peripheral computers 3, 5 which control the analyzers (in the case of the analyzers 7 and 9). The central computer 1 is programmed so that it can recombine the results of the analyses with the corresponding patient codes CP and then print the results in clear text, by means of the combination communicated by the unit 17.

20  
25  
30

When - for example as shown schematically in Fig. 4 - there is a connection between the central computer and the peripheral computers

- 16 -

associated with the individual analyzers, it is no longer necessary to supply the job sheet and enter into the individual analyzers the data relating to the types of analysis to be carried out on the individual patients. These data are supplied directly to the peripheral computers by the central computer 1 which  
5 has acquired the patient.

The embodiment of the method described above is summarized in the block diagram in Fig. 5, where (in a similar way to that used in Fig. 3) the symbols  $CI_1 \dots CI_n$  indicate the  $n$  identification codes of the  $n$  containers 13 combined with a given patient code  $P$ .

10 It is to be understood that the drawing shows only a possible embodiment of the invention, which can be varied in its forms and arrangements without departure from the scope of protection specified by the following claims.

- 17 -  
CLAIMS

1. A method for data management in an analytical laboratory, comprising the steps of:

- 5 • providing a plurality of containers for the laboratory analysis of biological specimens, each container being associated with its own identification code;
- associating a patient code with a patient to be subjected to analysis;
- for each container used for said patient, generating in a data processing system a combination of said patient code and said identification code of  
10 the corresponding container;
- carrying out, by means of at least one analyzer, at least one analysis on the container or containers used for said patient, the analyzer entering the results of said analysis, combined with the identification code of the container or containers, into the data processing system.

15 2. The method according to Claim 1, comprising the steps of:

- generating a patient code for at least one patient on whom at least one analysis is to be carried out and storing said patient code in a data processing system;
- placing a biological specimen from said patient in said at least one  
20 container;
- carrying out at least one analysis of said specimen in at least one analyzer, the analyzer reading the identification code of said container and entering into said data processing system the results of the analysis combined with the identification code of said container;
- 25 • using said data processing system to associate the results of the analysis or analyses with the patient code, and then with the patient identified by said patient code, by means of the combination of the patient code with the identification code.

30 3. The method according to Claim 1 or 2, in which said identification code is placed on the corresponding container in a machine-readable format.

4. The method according to Claim 1, 2 or 3, in which said

- 30
- a central electronic computer, for acquiring the data on patients on whose biological specimens the analyses are to be carried out, and for generating a patient code for each patient acquired;
  - means for acquiring an identification code associated with each container of a plurality of containers for laboratory analysis of biological specimens;

- 19 -

- means for combining each of said acquired identification codes with a corresponding patient code;
- at least one analyzer with means for reading identification codes associated with the containers which are placed in it, said analyzer carrying out at least one analysis on a biological specimen contained in the containers placed in it and supplying to said electronic computer the result of the analyses carried out, combined with data capable of associating said result with the patient to whom the biological specimen belongs.

11. The system according to Claim 10, comprising means for receiving from said at least one analyzer the result of said at least one analysis combined with the identification code of the container in which the analyzed biological specimen is placed, said means being programmed to associate said result with the patient code relating to the identification code combined with the result of the analysis, to send the result of the analysis combined with the patient code to said central electronic computer.

12. The system according to Claim 10, in which the result of the analysis, combined with the identification code of the corresponding container, is sent to said central computer, the central computer being programmed to associate, by means of the combination of the patient code with the identification code, each identification code - and consequently the result of the analysis - with the patient code of the patient whose biological specimen is contained in the container identified by said identification code.

13. A container for laboratory analysis of biological specimens, characterized in that it is provided with a unique machine-readable identification code.

14. The container according to Claim 13, characterized in that said identification code is applied to said container during the production of the container.

15. The container according to Claim 13 or 14, characterized in that said identification code is a bar code.

16. The container according to Claim 13, 14 or 15, characterized in that it includes means for determining an expiry date.



- 20 -

17. A set of containers for laboratory analysis of biological specimens, characterized in that each of said containers has a unique identification code which is different from the identification codes of the other containers of said set and is machine-readable.

5        18. The set of containers according to Claim 17, characterized in that said identification code is applied to said containers during the production of the containers.

19. The set of containers according to Claim 17 or 18, characterized in that said identification code is a bar code.

10       20. The set of containers according to Claim 17, 18 or 19, characterized in that each container is provided with means for determining an expiry date.

**WO 01/20532 A2**

Fig.1




Fig.2




Fig.3




Fig.4





Fig.5







As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) listed below to prosecute this application and transact all business in the Patent and Trademark Office connected therewith; we further hereby authorize the following attorney(s) and/or agent(s) to insert the correct serial number and filing date into this declaration, if none is indicated on that date of our execution of this Declaration.

**Send Correspondence to:**  
McGLEW AND TUTTLE, P.C.  
SCARBOROUGH STATION  
SCARBOROUGH, NEW YORK 10510-0827  
Customer No.: 23872

**Direct Telephone Calls To:**  
John James McGlew  
(914) 941-5600

Full Name of sole or first Inventor: COCOLA, Adriano

Citizenship: ITALY

Residence: Via S. Marco 110, 53100 SIENA, ITALY  $\mathbb{I} \tau \chi$

Post Office Address: Via S. Marco 110, 53100 SIENA, ITALY

Inventor's Signature: James Cook Date: 15/03/2002  
Day/Month/Year

2-  $\infty$  & Full Name of second Inventor: MELONI, Michele

Citizenship: ITALY

Residence: Piazza F. B. Petrucci 18, 53100 SIENA, ITALY IT X

Post Office Address: Piazza F. B. Petrucci 18, 53100 SIENA, ITALY

Inventor's Signature: Michelle Nielsen Date: 15/03/2002  
Day/Month/Year

& Full Name of third Inventor: \_\_\_\_\_

**Citizenship:** \_\_\_\_\_

Residence: \_\_\_\_\_

Post Office Address: \_\_\_\_\_

Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Day/Month/Year

& Full Name of fourth Inventor: \_\_\_\_\_

**Citizenship:** \_\_\_\_\_

Residence: \_\_\_\_\_

Post Office Address: \_\_\_\_\_

Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Day/Month/Year

& Full Name of fifth Inventor: \_\_\_\_\_

Citizenship: \_\_\_\_\_

Residence: \_\_\_\_\_

Post Office Address: \_\_\_\_\_

Inventor's Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Day/Month/Year